

# University Health Center

## Record Immunizations



**EVERY ITEM ON THIS PAGE MUST BE COMPLETED BY YOUR PHYSICIAN OR NURSE PRACTITIONER PRIOR TO ATTENDING CLASSES AT CAIRN UNIVERSITY.**

**NOTE WELL:**

1. **Dates are Important** for all immunizations. Please include month, day, and year. This form is not complete without dates.
2. For measles, mumps, or rubella, immunizations are **required** or you must have proof of immunity (either had the disease or laboratory confirmation of immunity).
3. If your immunization records are not available, please have all your booster shots up to date or laboratory tests confirming immunity. (Contact your high school for a record of immunizations.)

Student's Full Name: \_\_\_\_\_ Student's Date of Birth (Month/Day/Year): \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

**REQUIRED:**

**MENINGITIS\*\*\* Meningococcal Vaccine Tetravalent (A, C, Y, W-135) conjugate preferred**

Date of Vaccination: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Name of Vaccine: \_\_\_\_\_ Latest Booster: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

**New Policy Regarding Meningitis Immunization:**

Cairn University will follow the new protocol for Meningococcal conjugate vaccines, quadrivalent (MCV4), as recommended by the CDC and the American College Health Association. If the first dose is administered at age 16 years or older, a booster dose is not needed. For more info about the Meningitis vaccine by the CDC visit <http://www.cdc.gov/vaccines/pubs/vis/downloads/vis-mening.pdf>. Thank you for your cooperation.

**OPTIONAL:**

**HEPATITIS B\*\***

First: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Second: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Third: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

**CHICKEN POX\*\*\*\* (Varicella Vaccine)**

First: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Second: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

**POLIO**

First: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Second: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Third: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Latest Booster: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

Childhood Series—give all dates

**DIPHTHERIA TETANUS PERTUSSIS**

First: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Second: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Third: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Latest Booster: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

Childhood Series—give all dates (Must be within the last 10 years.)

**TB TEST (ONLY IF NEEDED)**

Mantoux Test (Date Given): \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Date of Results: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Results: \_\_\_\_\_ mm

(Must be done within the last year.)

Chest X-ray if indicated (Date Taken): \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_ Results: \_\_\_\_\_

\*The following CDC guidelines for measles must be followed. Students should have two doses of the live virus measles vaccine. The first dose needs to be given at 12 months of age or later (even one day before the first birthday is not valid). The second dose should be given at the time of school entry or later. If the vaccine is received at other than the suggested schedule, the two doses must be received at 12 months of age or later and be separated by at least one month. Current laboratory evidence of immunity is acceptable.

\*\* *Hepatitis B Virus* (HBV) is a potentially life-threatening bloodborne pathogen. Centers for Disease Control and Prevention (CDC) estimate there are approximately 280,000 HBV infections each year in the U.S. (December 1991). Approximately 8,700 health care workers each year contract Hepatitis B, and about 200 will die as a result. In addition, some who contract HBV will become carriers, passing the disease on to others. Carriers also face a significantly higher risk for other liver ailments which can be fatal, including cirrhosis of the liver and primary liver cancer. HBV infection is transmitted through exposure to blood and other infectious body fluids and tissues. Anyone with occupational exposure of blood is at risk for contracting the infection.

\*\*\* According to the CDC, there has been a sharp rise in meningitis outbreaks in the U.S. since the early 1990s, over one third of them occurring in organizational settings, including schools and universities. Fortunately, this type of meningococcal infection may be prevented with Menomune, a simple and effective one-dose vaccine.

\*\*\*\* College students without evidence of immunity (e.g., born in the U.S. before 1980, a history of the disease, two prior doses of Varicella Vaccine, or a positive antibody titer) are recommended by the CDC to receive two (2) doses of the Varicella Vaccine.

**BY SIGNING THIS FORM, I HEREBY AFFIRM THAT THE INFORMATION CONTAINED HEREIN CONCERNS THE STUDENT LISTED ABOVE AND IS A TRUE ACCOUNT TO THE BEST OF MY KNOWLEDGE.**

Physician's or Nurse Practitioner's Signature: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: \_\_\_\_\_

Name (please print): \_\_\_\_\_ Date: \_\_\_\_\_

**RETURN ALL INFORMATION TO: University Health Center, Cairn University, 200 Manor Avenue, Langhorne, PA 19047-2990**